

# EXEMPLAR SOLUTIONS PHYSICS

Class  
**11**



Powered by



## Chapter 5 - Laws of Motion

### Multiple Choice Questions I

5.1. A ball is travelling with uniform translator motion. This means that

- a) it is at rest
- b) the path can be a straight line or circular and the ball travels with uniform speed
- c) all parts of the ball have the same velocity and the velocity is constant
- d) the centre of the ball moves with constant velocity and the ball spins about its centre uniformly

**Answer:**

The correct option is c) all parts of the ball have the same velocity and the velocity is constant

5.2. A metre scale is moving with uniform velocity. This implied

- a) the force acting on the scale is zero, but a torque about the centre of mass can act on the scale
- b) the force acting on the scale is zero and the torque acting about the centre of mass of the scale is also zero
- c) the total force acting on it need not be zero but the torque on it is zero
- d) neither the force nor the torque need to be zero

**Answer:**

The correct answer is b) the force acting on the scale is zero and the torque acting about the centre of mass of the scale is also zero

5.3. A cricket ball of mass 150 g has an initial velocity  $u = (3\hat{i} + 4\hat{j})$  m/s and a final velocity

$$v = -(3\hat{i} + 4\hat{j})$$

m/s after being hit. The change in momentum

- a) zero
- b)

$$-(0.45\hat{i} + 0.6\hat{j})$$

c)

$$-(0.9\hat{i} + 1.2\hat{j})$$

d)

$$-5(\hat{i} + \hat{j})$$

**Answer:**

The correct answer is c)

$$-(0.9\hat{i} + 1.2\hat{j})$$

5.4. In the previous problem, the magnitude of the momentum transferred during the hit is

- a) zero
- b) 0.75 kg.m/s
- c) 1.5 kg.m/s
- d) 14 kg.m/s

**Answer:**

The correct option is c) 1.5 kg.m/s



**5.5. Conservation of momentum in a collision between particles can be understood from**

- a) conservation of energy
- b) Newton's first law only
- c) Newton's second law only
- d) both Newton's second and third law

**Answer:**

The correct answer is d) both Newton's second and third law

**5.6. A hockey player is moving northward and suddenly turns westward with the same speed to avoid an opponent. The force that acts on the player is**

- a) frictional force along westward
- b) muscle force along southward
- c) frictional force along south-west
- d) muscle force along south-west

**Answer:**

The correct answer is c) frictional force along south-west

**5.7. A body of mass 2 kg travels according to the law  $x(t) = p(t) + qt^2 + rt^3$  where  $p = 3 \text{ m/s}$ ,  $q = 4 \text{ m/s}^2$ , and  $r = 5 \text{ m/s}^3$ . The force acting on the body at  $t=2$  seconds is**

- a) 136 N
- b) 134 N
- c) 158 N
- d) 68 N

**Answer:**

The correct answer is a) 136 N

$$F = (-3\hat{i} + 4\hat{j})$$

**5.8. A body with mass 5 kg is acted upon by a force**

**N. If its initial velocity at  $t =$**

**0 is  $v = (6\hat{i} - 12\hat{j})$  m/s, the time at which it will just have a velocity along the y-axis is**

- a) never
- b) 10 s
- c) 2 s
- d) 15 s

**Answer:**

The correct answer is b) 10 s

**5.9. A car of mass  $m$  starts from rest and acquires a velocity along east  $v = v\hat{i}$  in two seconds.**

**Assuming the car moves with uniform acceleration, the force exerted on the car is**

- a)  $mv/2$  eastward and is exerted by the car engine
- b)  $mv/2$  eastward and is due to the friction on the tyres exerted by the road
- c) more than  $mv/2$  eastward exerted due to the engine and overcomes the friction of the road
- d)  $mv/2$  exerted by the engine

**Answer:**

The correct answer is b)  $mv/2$  eastward and is due to the friction on the tyres exerted by the road

## Multiple Choice Questions II

**5.10. The motion of a particle of mass  $m$  is given by  $x = 0$  for  $t < 0$  sec,  $x(t) = A \sin 4\pi t$  for  $0 < t < (1/4)$  sec,**

and  $x = 0$  for  $t > (1/4)$  sec. Which of the following statements is true?


- a) the force at  $t = (1/8)$  sec on the particle is  $-16\pi^2Am$
- b) the particle is acted upon by an impulse of magnitude  $4\pi^2Am$  at  $t = 0$  sec and  $t = (1/4)$  sec
- c) the particle is not acted upon by any force
- d) the particle is not acted upon by a constant force
- e) there is no impulse acting on the particle

**Answer:**

The correct answer is:

- a) the force at  $t = (1/8)$  sec on the particle is  $-16\pi^2Am$
- b) the particle is acted upon by an impulse of magnitude  $4\pi^2Am$  at  $t = 0$  sec and  $t = (1/4)$  sec
- d) the particle is not acted upon by a constant force

**5.11.** In figure, the coefficient of friction between the floor and the body B is 0.1. The coefficient of friction between the bodies B and A is 0.2. A force  $F$  is applied as shown on B. The mass of A is  $m/2$  and of B is  $m$ . Which of the following statements are true?



- a) the bodies will move together if  $F = 0.25 mg$
- b) the body A will slip with respect to B if  $F = 0.5 mg$
- c) the bodies will move together if  $F = 0.5 mg$
- d) the bodies will be at rest if  $F = 0.1 mg$
- e) the maximum value of  $F$  for which the two bodies will move together is  $0.45 mg$


**Answer:**

The correct answer is:

- a) the bodies will move together if  $F = 0.25 mg$
- b) the body A will slip with respect to B if  $F = 0.5 mg$
- d) the bodies will be at rest if  $F = 0.1 mg$
- e) the maximum value of  $F$  for which the two bodies will move together is  $0.45 mg$

**5.12.** Mass  $m_1$  moves on a slope making an angle  $\theta$  with the horizontal and is attached to mass  $m_2$  by a

string passing over a frictionless pulley as shown in the figure. The coefficient of friction between  $m_1$  and the sloping surface is  $\mu$ . Which of the following statements are true?



- a) if  $m_2 > m_1 \sin \theta$ , the body will move up the plane
- b) if  $m_2 > m_1(\sin \theta + \mu \cos \theta)$ , the body will move up the plane
- c) if  $m_2 < m_1(\sin \theta + \mu \cos \theta)$ , the body will move up the plane
- d) if  $m_2 < m_1(\sin \theta - \mu \cos \theta)$ , the body will move down the plane


**Answer:**

The correct answer is:

- b) if  $m_2 > m_1(\sin \theta + \mu \cos \theta)$ , the body will move up the plane
- d) if  $m_2 < m_1(\sin \theta - \mu \cos \theta)$ , the body will move down the plane

**5.13.** In the figure, a body A of mass  $m$  slides on plane inclined at angle  $\theta_1$  to the horizontal and  $\mu_1$  is the coefficient of friction between A and the plane. A is connected by a light string passing over a frictionless pulley to another body B, also of mass  $m$ , sliding on a frictionless plane inclined at angle  $\theta_2$  to the horizontal. Which of the following statements are true?

INAGEEN GROUP  
tamso ma jyotirgamaya



a) A will never move up the plane

$$\mu = \frac{\sin\theta_2 - \sin\theta_1}{\cos\theta_1}$$

b) A will just start moving up the plane when

c) for A to move up the plane,  $\theta_2$  must always be greater than  $\theta_1$

d) B will always slide down with constant speed

**Answer:**

The correct answer is:

$$\mu = \frac{\sin\theta_2 - \sin\theta_1}{\cos\theta_1}$$

b) A will just start moving up the plane when

c) for A to move up the plane,  $\theta_2$  must always be greater than  $\theta_1$

**5.14. Two billiard balls A and B, each of mass 50 g and moving in opposite directions with speed of 5 m/s each, collide and rebound with the same speed. If the collision lasts for  $10^{-3}$  seconds, which of the following statements are true?**

a) the impulse imparted to each ball is 0.25 kg.m/s and the force on each ball is 250N

b) the impulse imparted to each ball is 0.25 kg.m/s and the force exerted on each ball is  $25 \times 10^{-5}$  N

c) the impulse imparted to each ball is 0.5 Ns

d) the impulse and the force on each ball are equal in magnitude and opposite in direction

**Answer:**

The correct answer is:

c) the impulse imparted to each ball is 0.5 Ns

d) the impulse and the force on each ball are equal in magnitude and opposite in direction

**5.15. A body of mass 10 kg is acted upon by two perpendicular forces, 6N and 8N. The resultant acceleration of the body is**

a)  $1 \text{ m/s}^2$  at an angle of  $\tan^{-1} (4/3)$  w.r.t 6N force



- b)  $0.2 \text{ m/s}^2$  at an angle of  $\tan^{-1}(4/3)$  w.r.t 6N force  
 c)  $1 \text{ m/s}^2$  at an angle of  $\tan^{-1}(3/4)$  w.r.t 8N force  
 d)  $0.2 \text{ m/s}^2$  at an angle of  $\tan^{-1}(3/4)$  w.r.t 8N force

**Answer:**

- a)  $1 \text{ m/s}^2$  at an angle of  $\tan^{-1}(4/3)$  w.r.t 6N force  
 c)  $1 \text{ m/s}^2$  at an angle of  $\tan^{-1}(3/4)$  w.r.t 8N force

### Very Short Answer

**5.16.** A girl riding a bicycle along a straight road with a speed of 5 m/s throws a stone of mass 0.5 kg which has a speed of 15 m/s with respect to the ground along her direction of motion. The mass of the girl and the bicycle is 50 kg. Does the speed of the bicycle change after the stone is thrown? What is the change in speed, if so?

**Answer:**

Given,

$$m_1 = 50 \text{ kg}$$

$$m_2 = 0.5 \text{ kg}$$

$$u_1 = 5 \text{ m/s}$$

$$u_2 = 5 \text{ m/s}$$

$$v_1 = ?$$

$$v_2 = 15 \text{ m/s}$$

From the law of conservation of momentum,

Initial momentum = final momentum

$$(m_1 + m_2) u_1 = m_1 v_1 + m_2 v_2$$

Substituting the values, we get

$$v_1 = 4.9 \text{ m/s}$$

Therefore, the speed of cycle and the girl decreases by:  $5 - 4.9 = 0.1 \text{ m/s}$ .

**5.17.** A person of mass 50 kg stands on a weighing scale on a lift. If the lift is descending with a downward acceleration of  $9 \text{ m/s}^2$  what would be the reading of the weighing scale?

**Answer:**

The apparent weight on the weighing scale decreases when the lift descends with an acceleration  $a$ .

Let  $W'$  be the apparent weight


Therefore,

$$W' = R = (mg - ma) = m(g - a)$$

Therefore, apparent weight,  $W' = 50(10-9) = 50 \text{ N}$

Reading of the weighing scale =  $R/g = 50/10 = 5 \text{ kg}$ .

**5.18.** The position time graph of a body of mass 2 kg is as given in the figure. What is the impulse on the body at  $t = 0 \text{ sec}$  and  $t = 4 \text{ sec}$ .



**Answer:**

Mass of body,  $m = 2 \text{ kg}$

Time,  $t = 0$

Initial velocity,  $v_1 = 0$

From graph, we know that

$t \geq 0$  to  $t \leq 4$  which is a straight line.

The velocity of the body is constant

$$v_2 = \tan \theta = 3/4 = 0.75 \text{ m/s}$$

At  $t \geq 4$ , the slope of the graph is zero so velocity  $v_3 = 0$

$$\text{Impulse} = \mathbf{F}t = (d\mathbf{p}/dt)dt = d\mathbf{p}$$

Impulse = change in momentum

Impulse at  $t = 0$  is given as:

$$2(0.75 - 0) = 1.50 \text{ kg.m/s}$$

Impulse at  $t = 4$  is given as:

$$m(v_3 - v_2) = 2(0 - 0.75) = -1.50 \text{ kg.m/s}$$

Therefore, impulse at  $t = 0$  increases by  $+1.5 \text{ kg.m/s}$  and at  $t = 4$  it decreases by  $-1.5 \text{ kg.m/s}$ .

**5.19. A person driving a car suddenly applies the brakes on seeing a child on the road ahead. If he is not wearing seat belt, he falls forward and hits his head against the steering wheel. Why?**

**Answer:**

When a person applies brakes suddenly, he tends to fall forward and hit his head against the steering wheel if he is not wearing the seat belt because his upper body continues to be in a state of motion and in the same direction as that of the car which is due to inertia of motion.

**5.20. The velocity of a body of mass  $2 \text{ kg}$  as a function of  $t$  is given by  $\mathbf{v}(t) = 2t\hat{i} + t^2\hat{j}$  Find the**

momentum and the force acting on it at time  $t = 2$  sec.

**Answer:**

$m = 2 \text{ kg}$

$$\vec{v}(t) = 2t\hat{i} + t^2\hat{j}$$

$$\vec{v} \text{ at } 2 \text{ sec}, \vec{v}(2) = 2(2t)\hat{i} + 2^2\hat{j}, v(2) = 4\hat{i} + 4\hat{j}$$

$$\text{Momentum, } \vec{p}(2) = m \vec{v}(2)$$

$$\vec{p}(2) = 2[4\hat{i} + 4\hat{j}], p(2) = 8\hat{i} + 8\hat{j} \text{ kg.m/s}$$

$$\vec{F} = m \vec{a}$$

$$\vec{v}(t) = 2t\hat{i} + t^2\hat{j}$$

$$\vec{a}(t) = \frac{d\vec{v}(t)}{dt} = 2\hat{i} + 2t\hat{j}$$

$$\vec{F}(2) = 2(2\hat{i} + 4\hat{j}) = 4\hat{i} + 8\hat{j} \text{ N}$$


**5.21. A block placed on a rough horizontal surface is pulled by a horizontal force  $F$ . Let  $f$  be the force applied by the rough surface on the block. Plot a graph of  $f$  versus  $F$ .**

**Answer:**

$F_1$  is the force that is acting on the heavy box which is opposed by the smaller frictional force  $f_1$  and is equal to  $F_1$ . For box to move,  $F = F_s$  which is the maximum static frictional force. This force is also corresponding to the frictional force  $f_s$  on the y-axis.

The frictional force decreases when  $F_k < F_s$  is applied on the body and it starts to move such the less friction is  $f_k < f_s$ .

tamso ma jyotirgamaya



**5.22. Why are porcelain objects wrapped in paper or straw before packing for transportation?**

**Answer:**

Porcelain objects are wrapped in paper or straw before packing for transportation because they are fragile in nature. While transporting these objects, changes in velocity might bring cracks on them when the acceleration  $(v - u)/t$  decreases. To avoid the force on these objects, they are wrapped with paper.

**5.23. Why does a child feel more pain when falls down on a hard cement floor, than when she falls on the soft muddy ground in the garden?**

**Answer:**

When a child falls on a hard cement floor, the child feels more pain than when the child falls on the soft muddy ground in the garden because the time taken by the child to stop is very small on the cemented ground, whereas on the soft muddy ground, the time taken is more. When the time taken to stop is more, the acceleration is decreased, resulting in reduced force.

**5.24. A woman throws an object of mass 500 g with a speed of 25 m/s.**

**a) what is the impulse imparted to the object?**

**b) if the object hits a wall and rebounds with half the original speed, what is the change in momentum of the object?**

**Answer:**

a) Mass of the object,  $m = 500 \text{ g} = 0.5 \text{ kg}$

$u = 0$

$v = 25 \text{ m/s}$

Impulse is given as:



$$\vec{F} \cdot dt = \frac{d \vec{p}}{dt} \cdot dt = d \vec{p} = m \vec{v} - m \vec{u}$$

Substituting the values, we get impulse = 12.5 N.s

b)  $m = 0.5 \text{ kg}$

$u = +25 \text{ m/s}$

$v = -25/2 \text{ m/s}$

$\Delta p = m(v - u) = -18.75 \text{ N.s}$

**5.25. Why are mountain roads generally made winding upwards rather than going straight up?**


**Answer:**

The mountain roads are generally made winding upwards rather than going straight up because the force of friction is high which reduces the chances of skidding. When the roads are straight up, the value of frictional force increases which increases the chance of skidding. This is given by:

$f_s = \mu N \cos \theta$  where  $\theta$  is the angle of inclination.

### Short Answers

**5.26. A mass of 2 kg is suspended with thread AB. Thread CD of the same type is attached to the other end of 2 kg mass. Lower thread is pulled gradually harder and harder in the downward direction so as to apply force on AB. Which of the threads will break and why?**



**Answer:**


The force acting on the thread AB is equal to the force  $F$  as the mass  $2\text{ kg}$  is acting downward. So, it can be said that the force acting on the AB is  $2\text{ kg}$  more than on D and therefore, the thread AB breaks.

**5.27. In the above given problem if the lower thread is pulled with a jerk, what happens?**

**Answer:**

When the lower thread is pulled with a jerk, the thread CD breaks the thread is under inertia of rest and the mass  $2\text{ kg}$  above acts on it.

**5.28. Two masses of  $5\text{ kg}$  and  $3\text{ kg}$  are suspended with help of massless inextensible strings as shown in the figure. Calculate  $T_1$  and  $T_2$  when whole system is going upwards with acceleration  $= 2\text{ m/s}^2$ .**




**Answer:**

The acceleration of the whole system is,  $a = 2\text{ m/s}^2$

$m_1 = 5\text{ kg}$

$m_2 = 3\text{ kg}$

$g = 9.8\text{ m/s}^2$



Tension in a string is equal and opposite in all parts of the string.

Forces on mass  $m_1$  is

$$T_1 - T_2 - m_1g = m_1a$$

$$T_1 - T_2 - 5g = 5a$$

$$T_1 - T_2 = 5g + 5a$$

$$T_1 - T_2 = 5(9.8 + 2)$$

$$T_1 - T_2 = 59 \text{ N}$$


Force on mass  $m_2$  is

$$T_2 - m_2g = m_2a$$

$$T_2 = m_2(g + a) = 3(9.8 + 2) = 35.4$$

$$T_1 = 94.4 \text{ N}$$

**5.29.** Block A of weight 100N rests on a frictionless inclined plane of slope angle  $30^\circ$ . A flexible cord attached to A passes over a frictionless pulley and is connected to block B of weight W. Find the weight W for which the system is in equilibrium.



**Answer:**

When there is equilibrium between A or B,

$$mg \sin 30^\circ = F$$

$$\frac{1}{2} mg = F$$

$$F = \left(\frac{1}{2}\right)(100) = 50$$


Therefore, when B is at rest,  $W = F = 50 \text{ N}$ .

**5.30.** A block of mass  $M$  is held against a rough vertical wall by pressing it with a finger. If the coefficient of friction between the block and the wall is  $\mu$  and the acceleration due to gravity is  $g$ , calculate the minimum force required to be applied by the finger to hold the block against the wall?

**Answer:**

**NAGEEN GROUP**  
tamso ma jyotirgamaya





F is the force applied by the finger on the body whose mass is M and the body is at rest against the wall.

Using the balanced condition,

$$F = N$$

$$f = Mg$$


$$\mu F = Mg$$

$F = Mg/\mu$  is the minimum force that is required to hold the block against the wall at rest.

**5.31. A 100 kg gun fires a ball of 1 kg horizontally from a cliff of height 500 m. It falls on the ground at a distance of 400 m from the bottom of the cliff. Find the recoil velocity of the gun.**

**Answer:**



**NAGEEN GROUP**  
 tamso ma jyotirgamaya



The horizontal speed of the ball is  $= u \text{ m/s}$   
 The vertical component is  $= 0$   
 Considering the motion of the ball vertically downward  
 $u = 0$   
 $s = h = 500 \text{ m}$   
 $g = 10 \text{ s/m}^2$   
 $s = ut + \frac{1}{2} at^2$   
 Substituting the values, we get  
 $t^2 = 100$   
 $t = 10 \text{ sec}$

Horizontal range  $= 10u$   
 Which means  $v = 40 \text{ m/s}$   
 Using conservation of momentum, we can calculate the recoil velocity of the gun as  $= -40/100 \text{ m/s} = -0.4 \text{ m/s}$   
 which is the opposite side of the speed of the ball.

**5.32. Figure shows (x,t) (y,t) diagram of a particle moving in 2-dimension. If the particle has a mass of 500 g, find the force acting on the particle.**



**Answer:**

For graph a)

$$v_x = \frac{dx}{dt} = \frac{2}{2} = 1 \text{ m/s}$$

$$a_x = \frac{d^2x}{dt^2} = \frac{dv_x}{dt} = 0$$

For graph b)

$$y = t^2$$

$$v_y = dy/dt = 2t$$

$$a_y = dv_y/dt = 2$$

Therefore,  $F_y = ma_y$   
 $m = 500 \text{ g} = 0.5 \text{ kg}$   
 $F_y = (0.5)(2) = 1 \text{ N}$  towards y-axis

$F_x = (0.5)(0) = 0 \text{ N}$   
 Therefore,

$$F = \sqrt{F_x^2 + F_y^2} = \sqrt{0^2 + 1^2} = \sqrt{1}$$

Therefore,  $F = 1 \text{ N}$  towards y-axis.

**5.33. A person in an elevator accelerating upwards with an acceleration of  $2 \text{ m/s}^2$ , tosses a coin vertically upwards with a speed of  $20 \text{ m/s}$ . After how much time will the coin fall back into his hand?**

**Answer:**

The upward acceleration of an elevator,  $a = 2 \text{ m/s}^2$

Acceleration due to gravity,  $g = 10 \text{ m/s}^2$

Therefore, the net effective acceleration,  $a' = (a + g) = 12 \text{ m/s}^2$

Considering the effective motion of the coin,

$v = 0$

$t =$  time taken by the coin to achieve maximum height

$u = 20 \text{ m/s}$

$a' = 12 \text{ m/s}^2$

Therefore,  $v = u + at$

Where,  $t = 5/3 \text{ sec}$  after substituting the values in the above equation.

Therefore, total time taken by the coin to return after achieving maximum height is  $3(1/3) \text{ sec}$ .

## Long Answer

**5.34. There are three forces  $F_1$ ,  $F_2$ , and  $F_3$  acting on a body, all acting on a point P on the body. The body is found to move with uniform speed.**

**a) show that the forces are coplanar**

**b) show that the torque acting on the body about any point due to these three forces is zero**

**Answer:**

a) Acceleration of the body is zero as the three forces  $F_1$ ,  $F_2$ , and  $F_3$  on a point on a body has a resultant force equal to zero. The direction of forces  $F_1$  and  $F_2$  are in the plane of the paper and in their sum is in the opposite direction in the same plane. Also,  $F_3$  is in the same plane. Therefore, all the three forces are coplanar.

b) The resultant of forces  $F_1$ ,  $F_2$ , and  $F_3$  are zero and the torque is also equal to zero. That is, the resultant force is given as:

$$F = F_1 + F_2 + F_3 = 0.$$


Therefore, it can be said that at any point the torque acting will be zero.

**5.35. When a body slides down from rest along a smooth inclined plane making an angle of  $45^\circ$  with the horizontal, it takes time T. When the same body slides down from rest along a rough inclined plane making**



the same angle and through the same distance, it is seen to take time  $pT$ , where  $p$  is some number greater than 1. Calculate the coefficient of friction between the body and the rough plane.

Answer:



The inclined plane angle is  $45^\circ$  such that

$$u = 0$$

$$s = s$$


$$t = T$$

$$a = g \sin 45^\circ = g/\sqrt{2}$$

$$s = ut + \frac{1}{2} at^2$$

$$s = gT^2/2\sqrt{2}$$

**NAGEEN GROUP**  
tamso ma jyotirgamaya



$$u = 0$$

$$s = gT^2/2\sqrt{2}$$

$$ma = mg \sin 45^\circ - f$$


$$a = mg (1/\sqrt{2} - \mu/\sqrt{2})$$

Substituting the values, we get


$$\mu = (1 - 1/p^2)$$

**5.36.** Below figures show  $(v_x, t)$  and  $(v_y, t)$  diagrams for a body of unit mass. Find the force as a function of time.

**NAGEEN GROUP**  
tamso ma jyotirgamaya



(a)



(b)

**Answer:**

For graph a)

$$v_x = 2t \text{ for } 0 < t < 1s$$

$$a_x = 2/1 \text{ for } 0 < t < 1s$$

$$v_x = 2(2-t) \text{ for } 1 < t < 2s$$

$$a_x = -2/1 = -2 \text{ for } 1 < t < 2s$$

Therefore,  $F_x = ma$

Where  $m = 1$

$$F_x = -2 \text{ for } 1 < t < 2s$$

For graph b)

$$a_y = 1/1 \text{ m/s}^2 \text{ for } 0 < t < 1$$

$$F_y = ma = 1 \text{ for } 0 < t < 1$$

$$a_y = 0 \text{ for } 1 < t$$


$$F_y = 0 \text{ for } 1 < t < 2s$$

The resultant force is given as:

$$\vec{F} = -2\hat{i} \text{ for } 1 < t < 2s$$

**5.37.** A racing car travels on a track ABCDEFA. ABC is a circular arc of radius  $2R$ . CD and FA are straight paths of length  $R$  and DEF is a circular arc of radius  $R = 100 \text{ m}$ . The coefficient of friction on the

road is  $\mu = 0.1$ . The maximum speed of the car is 50 m/s. Find the minimum time for completing one round.



**Answer:**

Time taken from A to B to C

$$S_1 = \text{length of path} = \frac{3}{4} 2\pi(2R) = 300\pi \text{ m}$$

$V_1$  = maximum speed of the car along the circular path

$$= \sqrt{\pi r g} = \sqrt{(0.1)(2R)(g)}$$

$$= 14.14 \text{ m/s}$$

$$T_1 = S_1/V_1 = 66.62 \text{ sec}$$

Time taken from C to D and F to A

$V_2$  is the maximum speed = 50 m/s

$$T_2 = S_2/V_2 = 4 \text{ sec}$$

Time taken from D to E to F

$$S_3 = \frac{1}{4} 2\pi R = 50\pi$$

$$V_3 = \sqrt{\mu r g} = \sqrt{(0.1)(100)(10)} = 10 \text{ m/s}$$

$$T_3 = S_3/V_3 = 15.70 \text{ sec}$$

Therefore, total time taken by the car =  $T_1 + T_2 + T_3 = 86.32 \text{ sec}$

$$r(t) = \hat{i}A\cos\omega t + \hat{j}B\sin\omega t$$

5.38. The displacement vector of a particle of mass  $m$  is given by

a) show that the trajectory is an ellipse

b) show that  $F = -m\omega^2 r$

Answer:

a)

$$r(t) = \hat{i}A\cos\omega t + \hat{j}B\sin\omega t$$

$$x = A \cos \omega t$$

$$y = B \sin \omega t$$

$$x/A = \cos \omega t$$

$$y/B = \sin \omega t$$

Squaring both the equations and adding them,

$$x^2/A^2 + y^2/B^2 = \cos^2 \omega t + \sin^2 \omega t$$

$$x^2/A^2 + y^2/B^2 = 1$$

The above equation is of an ellipse and so the trajectory is an ellipse.

b)  $x = A \cos \omega t$

$$v_x = dx/dt = -A\omega \sin \omega t$$

$$a_x = dv_x/dt = -A\omega^2 \cos \omega t$$

$$y = B \sin \omega t$$

$$v_y = dy/dt = B\omega \cos \omega t$$

$$a_y = dv_y/dt = -B\omega^2 \sin \omega t$$

$$a = a_x \hat{i} + a_y \hat{j}$$

Solving the above, we get

$$a = -\omega^2 r.$$

**5.39. A cricket bowler releases the ball in two different ways**

a) giving it only horizontal velocity and

b) giving it horizontal velocity and a small downward velocity.

The speed  $v_s$  at the time of release is the same. Both are released at a height  $H$  from the ground. Which one will have greater speed when the ball hits the ground? Neglect air resistance.

Answer:

a)

$$\frac{1}{2}v_z^2 = gH \Rightarrow v_z = \sqrt{2gH}$$

Speed at ground is given as:

$$\sqrt{v_s^2 + v_z^2} = \sqrt{v_s^2 + 2gH}$$


b)

$$\frac{1}{2}mv_s^2 + mgH$$

is the total energy of the ball when it hits the ground.

Therefore, a) and b) have the same speed.

5.40. There are four forces acting at a point P produced by strings as shown in the figure, which is at rest. Find the forces  $F_1$  and  $F_2$ .



**Answer:**

The resultant forces on the point are zero as the point is at rest with  $a = 0$

Therefore, the net components along X and Y axis will be zero.

Resolving all the forces along X-axis is

$$F_x = 0$$

$$F_1 + 1 \cos 45^\circ - 2 \cos 45^\circ = 0$$

$$F_1 - 1 \cos 45^\circ = 0$$

$$F_1 = \cos 45^\circ = 0.707 \text{ N}$$

Resolving all the forces along Y-axis is

$$F_y = 0$$

$$-F_2 + 1 \cos 45^\circ + 2 \cos 45^\circ = 0$$

$$-F_2 = -3 \cos 45^\circ$$

$$F_2 = 2.121 \text{ N}$$

5.41. A rectangular box lies on a rough inclined surface. The coefficient of friction between the surface and the box is  $\mu$ . Let the mass of the box be  $m$ .

a) at what angle of inclination  $\theta$  of the plane to the horizontal will the box just start to slide down the plane?

b) what is the force acting on the box down the plane, if the angle of inclination of the plane is increased to




$\alpha > \theta$

c) what is the force needed to be applied upwards along the plane to make the box either remain stationary or just move up with uniform speed?

d) what is the force needed to be applied upwards along the plane to make the box move up the plane with acceleration  $\alpha$ .

Answer:



a) As the box starts to slide down the plane,  $\mu = \tan \theta$   
 $\theta = \tan^{-1}(\mu)$

b) If  $\alpha > \theta$ , the angle of inclination will be the angle of repose and the net force acting will be in the downward  
 $F_1 = mg \sin \alpha - f = mg \sin \alpha - \mu N$   
 $= mg \sin \alpha - \mu mg \cos \alpha$   
 $F_1 = mg (\sin \alpha - \mu \cos \alpha)$

c)  $F_2$  is the force which is required to keep the box stationary and to move with uniform velocity  
 $F_2 - mg \sin \alpha - f = ma$   
 Or  
 $F_2 - mg \sin \alpha - \mu N = 0$   
 $F_2 = mg \sin \alpha + \mu N = 0$   
 $F_2 = mg (\sin \alpha + \mu \cos \alpha)$

d)  $F_3$  is the force that is required to move the box upward with  $\alpha$  as acceleration  
 $F_3 - mg \sin \alpha - \mu mg \cos \alpha = ma$   
 $F_3 = mg (\sin \alpha + \mu \cos \alpha) + ma$

5.42. A helicopter of mass 2000 kg rises with a vertical acceleration of 15 m/s<sup>2</sup>. The total mass of the crew

and passengers is 500 kg. Give the magnitude and direction of the

a) force on the floor of the helicopter by the crew and passengers

b) action of the rotor of the helicopter on the surrounding air

c) force on the helicopter due to the surrounding air

**Answer:**

Given,

Mass of helicopter,  $M = 2000 \text{ kg}$

Mass of the crew and passenger,  $m = 500 \text{ kg}$

Acceleration of helicopter with crew and passengers  $= 15 \text{ m/s}^2$

a) Force on the floor of the helicopter by the crew and passenger  $= m(g + a) = 500(10 + 15)$

$$F_1 = (500)(25) = 12500 \text{ N}$$

b) Action of the rotor of the helicopter on the surrounding air is force  $F_2$ .

The acceleration due to Newton's third law is when acceleration is  $15 \text{ m/s}^2 = (M + m)(g + a)$

$$= (2000 + 500)(g + a)$$

$$= 2500(10 + 15)$$

$$= 62500 \text{ N}$$

c) Force on the helicopter due to the surrounding air is  $F_3$ .

$$F_3 = \text{Action force} = - 62500 \text{ N or } + 62500 \text{ N}$$

# CLICK TO DOWNLOAD NCERT EXEMPLAR SOLUTIONS

**CLASS 11: PHYSICS (ALL CHAPTERS)**





# JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL  
RESOURCES

---





## JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

### BENEFITS OF SOE WHATSAPP GROUPS

---

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.
- **Immediate Doubt Resolution:** The group facilitates quick clarification of doubts. Members can seek assistance by sending messages, and experts promptly respond to queries. This real-time interaction fosters a supportive learning environment where educators and students can exchange knowledge and address concerns effectively.
- **Access to Previous Years' Question Papers and Topper Answers:** The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.



- **Free and Unlimited Resources:** Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.
- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.
- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.
- **Interactive Learning Environment:** Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.
- **Access to Expert Guidance:** SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

**Together, let's empower ourselves & Our Students and  
inspire the next generation of learners.**

**Best Regards,  
Team  
School of Educators**



# Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

## Kindergarten to Class XII (For Teachers Only)



[Click Here to Join](#)

**Class 1**



[Click Here to Join](#)

**Class 2**



[Click Here to Join](#)

**Class 3**



[Click Here to Join](#)

**Class 4**



[Click Here to Join](#)

**Class 5**



[Click Here to Join](#)

**Class 6**



[Click Here to Join](#)

**Class 7**



[Click Here to Join](#)

**Class 8**



[Click Here to Join](#)

**Class 9**



[Click Here to Join](#)

**Class 10**



[Click Here to Join](#)

**Class 11 (Science)**



[Click Here to Join](#)

**Class 11 (Humanities)**



[Click Here to Join](#)

**Class 11 (Commerce)**



[Click Here to Join](#)

**Class 12 (Science)**



[Click Here to Join](#)

**Class 12 (Humanities)**



[Click Here to Join](#)

**Class 12 (Commerce)**



[Click Here to Join](#)

**Kindergarten**

# Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only) Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi-A



[Click Here to Join](#)

IT Code-402



[Click Here to Join](#)

Hindi-B



[Click Here to Join](#)

Artificial Intelligence

## Senior Secondary Groups (XI & XII For Teachers Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

**Geography**



[Click Here to Join](#)

**Sociology**



[Click Here to Join](#)

**Hindi Elective**



[Click Here to Join](#)

**Hindi Core**



[Click Here to Join](#)

**Home Science**



[Click Here to Join](#)

**Sanskrit**



[Click Here to Join](#)

**Psychology**



[Click Here to Join](#)

**Political Science**



[Click Here to Join](#)

**Painting**



[Click Here to Join](#)

**Vocal Music**



[Click Here to Join](#)

**Comp. Science**



[Click Here to Join](#)

**IP**



[Click Here to Join](#)

**Physical Education**



[Click Here to Join](#)

**APP. Mathematics**



[Click Here to Join](#)

**Legal Studies**



[Click Here to Join](#)

**Entrepreneurship**



[Click Here to Join](#)

**French**



[Click Here to Join](#)

**IT**



[Click Here to Join](#)

**Artificial Intelligence**

## **Other Important Groups (For Teachers & Principal's)**



[Click Here to Join](#)

**Principal's Group**



[Click Here to Join](#)

**Teachers Jobs**



[Click Here to Join](#)

**IIT/NEET**

# Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

## Kindergarten to Class XII (For Students Only)



[Click Here to Join](#)

**Class 1**



[Click Here to Join](#)

**Class 2**



[Click Here to Join](#)

**Class 3**



[Click Here to Join](#)

**Class 4**



[Click Here to Join](#)

**Class 5**



[Click Here to Join](#)

**Class 6**



[Click Here to Join](#)

**Class 7**



[Click Here to Join](#)

**Class 8**



[Click Here to Join](#)

**Class 9**



[Click Here to Join](#)

**Class 10**



[Click Here to Join](#)

**Class 11 (Science)**



[Click Here to Join](#)

**Class 11 (Humanities)**



[Click Here to Join](#)

**Class 11 (Commerce)**



[Click Here to Join](#)

**Class 12 (Science)**



[Click Here to Join](#)

**Class 12 (Humanities)**



[Click Here to Join](#)

**Class 12 (Commerce)**



[Click Here to Join](#)

**Artificial Intelligence  
(VI TO VIII)**

# Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only) Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi



[Click Here to Join](#)

IT Code



[Click Here to Join](#)

Artificial Intelligence

## Senior Secondary Groups (XI & XII For Students Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

**Geography**



[Click Here to Join](#)

**Sociology**



[Click Here to Join](#)

**Hindi Elective**



[Click Here to Join](#)

**Hindi Core**



[Click Here to Join](#)

**Home Science**



[Click Here to Join](#)

**Sanskrit**



[Click Here to Join](#)

**Psychology**



[Click Here to Join](#)

**Political Science**



[Click Here to Join](#)

**Painting**



[Click Here to Join](#)

**Music**



[Click Here to Join](#)

**Comp. Science**



[Click Here to Join](#)

**IP**



[Click Here to Join](#)

**Physical Education**



[Click Here to Join](#)

**APP. Mathematics**



[Click Here to Join](#)

**Legal Studies**



[Click Here to Join](#)

**Entrepreneurship**



[Click Here to Join](#)

**French**



[Click Here to Join](#)

**IT**



[Click Here to Join](#)

**AI**



[Click Here to Join](#)

**IIT/NEET**



[Click Here to Join](#)

**CUET**



## Groups Rules & Regulations:

**To maximize the benefits of these WhatsApp groups, follow these guidelines:**

1. Share your valuable resources with the group.
2. Help your fellow educators by answering their queries.
3. Watch and engage with shared videos in the group.
4. Distribute WhatsApp group resources among your students.
5. Encourage your colleagues to join these groups.

### **Additional notes:**

1. Avoid posting messages between 9 PM and 7 AM.
2. After sharing resources with students, consider deleting outdated data if necessary.
3. It's a NO Nuisance groups, single nuisance and you will be removed.
  - No introductions.
  - No greetings or wish messages.
  - No personal chats or messages.
  - No spam. Or voice calls
  - Share and seek learning resources only.

**Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.**

# Join Premium WhatsApp Groups Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

[Click here for more details](#)



**Click Here to Join**

**Class 9**



**Click Here to Join**

**Class 10**



**Click Here to Join**

**Class 11**



**Click Here to Join**

**Class 12**

📢 Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success! 🇧🇩🌟

**Best Wishes,**

**Team**

**School of Educators & Artham Resources**

# SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



Artificial Intelligence



Beauty & Wellness




Design Thinking & Innovation



Financial Literacy



Handicrafts



Information Technology



Marketing/Commercial Application




Mass Media - Being Media Literate




Travel & Tourism




Coding



Data Science (Class VIII only)




Augmented Reality / Virtual Reality



Digital Citizenship




Life Cycle of Medicine & Vaccine



Things you should know about keeping Medicines at home




What to do when Doctor is not around



Humanity & Covid-19



Blue Pottery




Pottery



Block Printing




Food



Food Preservation




Baking



Herbal Heritage



Khadi




Mask Making



Mass Media



Making of a Graphic Novel



Kashmiri Embroidery



Embroidery




Rockets



Satellites




Application of Satellites




Photography

# SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX – X)



Retail



Information Technology




Security




Automotive



Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking & Insurance



Marketing & Sales



Health Care



Apparel



Multi Media



Multi Skill Foundation Course



Artificial Intelligence



Physical Activity Trainer



Data Science



Electronics & Hardware (NEW)



Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)



# SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI – XII)



Retail



Information Technology



Web Application



Automotive



Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking



Marketing




Health Care



Insurance




Horticulture



Typography & Comp.  
Application




Geospatial Technology



Electrical Technology



Electronic Technology



Multi-Media






Taxation



Cost Accounting



Office Procedures & Practices



Shorthand (English)



Shorthand (Hindi)



Air-Conditioning & Refrigeration



Medical Diagnostics



Textile Design




Design



Salesmanship



Business Administration



Food Nutrition & Dietetics



Mass Media Studies



Library & Information Science



Fashion Studies



Applied Mathematics



Yoga



Early Childhood Care & Education




Artificial Intelligence



Data Science



Physical Activity Trainer(new)



Land Transportation Associate (NEW)



Electronics & Hardware (NEW)



Design Thinking & Innovation (NEW)